Broads Authority

# Site Specifications

Map of locations, Pedestal site information and Pedestal orientation

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Norwich Yacht Station | Pedestal | 623947 | 308753 | Concrete Plinth Design 2 | Yes | Concrete | 150mm | Yes | |
| 1 | Norwich Yacht Station | Pedestal | 623955 | 308778 | Concrete Plinth Design 2 | Yes | Concrete | 150mm | Yes | |
| 1 | Norwich Yacht Station | Pedestal | 623941 | 308737 | Concrete Plinth Design 2 | Yes | Concrete | 150mm | Yes | |
| 1 | Norwich Yacht Station | Pedestal | 623933 | 308718 | Concrete Plinth Design 2 | Yes | Concrete | 150mm | Yes | |
| 1 | Norwich Yacht Station | Pedestal | 623924 | 308696 | Concrete Plinth Design 2 | Yes | Concrete | 150mm | Yes | |
| 1 | Norwich Yacht Station | Pedestal | 623962 | 308803 | Concrete Plinth Design 2 | Yes | Concrete | 150mm | Yes | |
| 2 | Great Yarmouth Yacht Station | Pedestal | 652045 | 308530 | Concrete Plinth Design 2 | Yes | Concrete | 300mm | Yes | |
| 2 | Great Yarmouth Yacht Station | Pedestal | 652058 | 308500 | Concrete Plinth Design 2 | Yes | Concrete | 300mm | Yes | |
| 2 | Great Yarmouth Yacht Station | Pedestal | 652041 | 308559 | Concrete Plinth Design 2 | Yes | Concrete | 300mm | Yes | |
| 2 | Great Yarmouth Yacht Station | Pedestal | 652090 | 308455 | Concrete Plinth Design 2 | Yes | Concrete | 300mm | Yes | |
| 2 | Great Yarmouth Yacht Station | Pedestal | 652076 | 308474 | Concrete Plinth Design 2 | Yes | Concrete | 300mm | Yes | |
| 2 | Great Yarmouth Yacht Station | Pedestal | 652145 | 308397 | Concrete Plinth Design 2 | Yes | Concrete | 300mm | Yes | |
| 3 | Burgh Castle | Pedestal | 647278 | 303774 | Concrete Plinth Design 1 | Yes | Grass | 0mm | No | |
| 3 | Burgh Castle | Pedestal | 647250 | 303748 | Concrete Plinth Design 1 | yes | Grass | 0mm | No | |
| 4 | Sutton Staithe | Pedestal | 638160 | 323706 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |
| 4 | Sutton Staithe | Pedestal | 638174 | 323707 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |
| 5 | Reedham Quay | Pedestal | 641925 | 301688 | Concrete Plinth Design 2 | Yes | tarmac | 300mm | Yes | |
| 5 | Reedham Quay | Pedestal | 641896 | 301683 | Concrete Plinth Design 2 | Yes | tarmac | 300mm | Yes | |
| 6 | Acle Bridge | Pedestal | 641322 | 311731 | Concrete Plinth Design 1 | Yes | Grass | 200mm | No | |
| 6 | Acle Bridge | Pedestal | 641376 | 311721 | Concrete Plinth Design 1 | Yes | Grass | 200mm | No | |
| 6 | Acle Bridge | Pedestal | 641347 | 311727 | Concrete Plinth Design 1 | yes | Grass | 200mm | No | |
| 7 | Stokesby | Pedestal | 643044 | 310555 | Concrete Plinth Design 1 | Yes | Grass | 200mm | No | |
| 8 | Coltishall Common | Pedestal | 627753 | 319773 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |
| 9 | Dilham Staithe | Pedestal | 633240 | 325548 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |
| 9 | Dilham Staithe | Pedestal | 633225 | 325559 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |
| 10 | Loddon Staithe | Pedestal | 636189 | 298993 | Concrete Plinth Design 1 | Yes | Brick weave | 100mm to 150mm | No | |
| 10 | Loddon Staithe | Pedestal | 636209 | 298992 | Concrete Plinth Design 1 | Yes | Brick weave | 100mm to 150mm | No | |
| 10 | Loddon Staithe | Pedestal | 636227 | 298990 | Concrete Plinth Design 1 | Yes | Brick weave | 100mm to 150mm | No | |


| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 11 | Ranworth Staithe | Pedestal | 635964 | 314635 | Concrete Plinth Design 1 | Yes | type one | 150mm | No | |
| 11 | Ranworth Staithe | Pedestal | 636015 | 314653 | Concrete Plinth Design 1 | Yes | type one | 150mm | No | |
| 11 | Ranworth Staithe | Pedestal | 635966 | 314651 | Concrete Plinth Design 1 | Yes | type one | 150mm | No | |
| 11 | Ranworth Staithe | Pedestal | 635987 | 314654 | Concrete Plinth Design 1 | Yes | type one | 150mm | No | |
| 11 | Ranworth Staithe | Pedestal | 635974 | 314653 | Concrete Plinth Design 1 | Yes | type one | 150mm | No | |
| 12 | Somerleyton Staithe | Pedestal | 647535 | 297064 | Concrete Plinth Design 1 | Yes | type one | 100mm to 150mm | No | |
| 12 | Somerleyton Staithe | Pedestal | 647553 | 297027 | Concrete Plinth Design 1 | Yes | type one | 100mm to 150mm | No | |
| 13 | St Olaves | Pedestal | 645683 | 299678 | Concrete Plinth Design 1 | Yes | type one | 150mm | No | |
| 14 | Bramerton | Pedestal | 629449 | 306097 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |
| 14 | Bramerton | Pedestal | 629481 | 306091 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |
| 14 | Bramerton | Pedestal | 629511 | 306089 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |
| 15 | Horning Parish Staithe | Pedestal | 633985 | 317573 | Concrete Plinth Design 1 | Yes | tarmac | 100mm | No | |
| 15 | Horning Parish Staithe | Pedestal | 633998 | 317561 | Concrete Plinth Design 1 | Yes | tarmac | 100mm | No | |
| 16 | Hoveton St John | Pedestal | 630274 | 318293 | Concrete Plinth Design 1 | Yes | Type one | 100mm | No | |
| 16 | Hoveton St John | Pedestal | 630291 | 318279 | Concrete Plinth Design 1 | Yes | Type one | 100mm | No | |
| 17 | Irstead Staithe | Pedestal | 636624 | 320517 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |
| 18 | Neatishead Staithe | Pedestal | 634468 | 321042 | Concrete Plinth Design 1 | Yes | Type one | 100mm | No | |
| 18 | Neatishead Staithe | Pedestal | 634456 | 321041 | Concrete Plinth Design 1 | Yes | Type one | 100mm | No | |
| 19 | Potter Heigham Repps Bank | Pedestal | 641893 | 318326 | Concrete Plinth Design 1 | Yes | Grass | 200mm | No | |
| 19 | Potter Heigham Repps Bank | Pedestal | 641917 | 318357 | Concrete Plinth Design 1 | Yes | Grass | 200mm | No | |
| 20 | Potter Heigham Martham Bank | Pedestal | 642141 | 318566 | Concrete Plinth Design 1 | Yes | Grass | 200mm | No | |
| 20 | Potter Heigham Martham Bank | Pedestal | 642165 | 318584 | Concrete Plinth Design 1 | Yes | Grass | 200mm | No | |
| 21 | Hardley Mill Pontoon | Pedestal | 638819 | 302398 | Pontoon | No | plastic | 0mm | No | |
| 21 | Hardley Mill Pontoon | Pedestal | 638840 | 302427 | Pontoon | No | plastic | 0mm | No | |

## Norwich Yacht Station

Norwich Yacht Station

Scale: 1:4,000


As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.




© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Norwich Yacht Station | Pedestal | 623947 | 308753 | Concrete Plinth Design 2 | Yes | Concrete | 150mm | Yes | |
| 1 | Norwich Yacht Station | Pedestal | 623955 | 308778 | Concrete Plinth Design 2 | Yes | Concrete | 150mm | Yes | |
| 1 | Norwich Yacht Station | Pedestal | 623941 | 308737 | Concrete Plinth Design 2 | Yes | Concrete | 150mm | Yes | |
| 1 | Norwich Yacht Station | Pedestal | 623933 | 308718 | Concrete Plinth Design 2 | Yes | Concrete | 150mm | Yes | |
| 1 | Norwich Yacht Station | Pedestal | 623924 | 308696 | Concrete Plinth Design 2 | Yes | Concrete | 150mm | Yes | |
| 1 | Norwich Yacht Station | Pedestal | 623962 | 308803 | Concrete Plinth Design 2 | Yes | Concrete | 150mm | Yes | |

## Orientation




## Great Yarmouth Yacht Station

Great Yarmouth Yacht Station

Scale: 1:4,000


As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.




© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 2 | Great Yarmouth Yacht Station | Pedestal | 652045 | 308530 | Concrete Plinth Design 2 | Yes | Concrete | 300mm | Yes | |
| 2 | Great Yarmouth Yacht Station | Pedestal | 652058 | 308500 | Concrete Plinth Design 2 | Yes | Concrete | 300mm | Yes | |
| 2 | Great Yarmouth Yacht Station | Pedestal | 652041 | 308559 | Concrete Plinth Design 2 | Yes | Concrete | 300mm | Yes | |
| 2 | Great Yarmouth Yacht Station | Pedestal | 652090 | 308455 | Concrete Plinth Design 2 | Yes | Concrete | 300mm | Yes | |
| 2 | Great Yarmouth Yacht Station | Pedestal | 652076 | 308474 | Concrete Plinth Design 2 | Yes | Concrete | 300mm | Yes | |
| 2 | Great Yarmouth Yacht Station | Pedestal | 652145 | 308397 | Concrete Plinth Design 2 | Yes | Concrete | 300mm | Yes | |

## Orientation



## Burgh Castle

Burgh Castle

Scale: 1:1,000


As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.




© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 3 | Burgh Castle | Pedestal | 647278 | 303774 | Concrete Plinth Design 1 | Yes | Grass | 0mm | No | |
| 3 | Burgh Castle | Pedestal | 647250 | 303748 | Concrete Plinth Design 1 | yes | Grass | 0mm | No | |

## Orientation




## Sutton Staithe

Sutton Staithe 1

Scale: 1:1,000


As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.




© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 4 | Sutton Staithe | Pedestal | 638160 | 323706 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |
| 4 | Sutton Staithe | Pedestal | 638174 | 323707 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |

## Orientation




## Reedham Quay

Reedham

Scale: 1:1,000


As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.





© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 5 | Reedham Quay | Pedestal | 641925 | 301688 | Concrete Plinth Design 2 | Yes | tarmac | 300mm | Yes | |
| 5 | Reedham Quay | Pedestal | 641896 | 301683 | Concrete Plinth Design 2 | Yes | tarmac | 300mm | Yes | |

## Orientation




## Acle Bridge


Acle Bridge
Scale: 1:3,000
As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.
Broads Authority
Green Meter Box
Charging pillar
Site
Broadlands
Main Road
Marsh Fa
St Margaret's Mill
Hall
Bridge Farm
Old Road
0
50
100 m
N
© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 6 | Acle Bridge | Pedestal | 641322 | 311731 | Concrete Plinth Design 1 | Yes | Grass | 200mm | No | |
| 6 | Acle Bridge | Pedestal | 641376 | 311721 | Concrete Plinth Design 1 | Yes | Grass | 200mm | No | |
| 6 | Acle Bridge | Pedestal | 641347 | 311727 | Concrete Plinth Design 1 | yes | Grass | 200mm | No | |

## Orientation




## Stokesby

Stokesby

Scale: 1:1,000


As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.




© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 7 | Stokesby | Pedestal | 643044 | 310555 | Concrete Plinth Design 1 | Yes | Grass | 200mm | No | |

## Orientation




## Coltishall Common

Coltishall Common

Scale: 1:2,000


As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.





© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 8 | Coltishall Common | Pedestal | 627753 | 319773 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |

## Orientation




## Dilham Staithe



| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 9 | Dilham Staithe | Pedestal | 633240 | 325548 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |
| 9 | Dilham Staithe | Pedestal | 633225 | 325559 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |

## Orientation



## Loddon Staithe

Loddon

Scale: 1:1,000


As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.




© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 10 | Loddon Staithe | Pedestal | 636189 | 298993 | Concrete Plinth Design 1 | Yes | Brick weave | 100mm to 150mm | No | |
| 10 | Loddon Staithe | Pedestal | 636209 | 298992 | Concrete Plinth Design 1 | Yes | Brick weave | 100mm to 150mm | No | |
| 10 | Loddon Staithe | Pedestal | 636227 | 298990 | Concrete Plinth Design 1 | Yes | Brick weave | 100mm to 150mm | No | |

## Orientation




## Ranworth Staithe




| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 11 | Ranworth Staithe | Pedestal | 635964 | 314635 | Concrete Plinth Design 1 | Yes | type one | 150mm | No | |
| 11 | Ranworth Staithe | Pedestal | 636015 | 314653 | Concrete Plinth Design 1 | Yes | type one | 150mm | No | |
| 11 | Ranworth Staithe | Pedestal | 635966 | 314651 | Concrete Plinth Design 1 | Yes | type one | 150mm | No | |
| 11 | Ranworth Staithe | Pedestal | 635987 | 314654 | Concrete Plinth Design 1 | Yes | type one | 150mm | No | |
| 11 | Ranworth Staithe | Pedestal | 635974 | 314653 | Concrete Plinth Design 1 | Yes | type one | 150mm | No | |

## Orientation




## Somerleyton Staithe



| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 12 | Somerleyton Staithe | Pedestal | 647535 | 297064 | Concrete Plinth Design 1 | Yes | type one | 100mm to 150mm | No | |
| 12 | Somerleyton Staithe | Pedestal | 647553 | 297027 | Concrete Plinth Design 1 | Yes | type one | 100mm to 150mm | No | |

**Orientation**



## St Olaves

St Olaves

Scale: 1:1,000


As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.




© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 13 | St Olaves | Pedestal | 645683 | 299678 | Concrete Plinth Design 1 | Yes | type one | 150mm | No | |

## Orientation




## Bramerton Common

Bramerton

Scale: 1:1,000


As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.





© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 14 | Bramerton | Pedestal | 629449 | 306097 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |
| 14 | Bramerton | Pedestal | 629481 | 306091 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |
| 14 | Bramerton | Pedestal | 629511 | 306089 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |

## Orientation




## Horning Parish Staithe



| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 15 | Horning Parish Staithe | Pedestal | 633985 | 317573 | Concrete Plinth Design 1 | Yes | tarmac | 100mm | No | |
| 15 | Horning Parish Staithe | Pedestal | 633998 | 317561 | Concrete Plinth Design 1 | Yes | tarmac | 100mm | No | |

## Orientation




## Hoveton St John

Hoveton St John

Scale: 1:1,000


As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.




© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 16 | Hoveton St John | Pedestal | 630274 | 318293 | Concrete Plinth Design 1 | Yes | Type one | 100mm | No | |
| 16 | Hoveton St John | Pedestal | 630291 | 318279 | Concrete Plinth Design 1 | Yes | Type one | 100mm | No | |

## Orientation



## Irstead Staithe

Irstead Staithe

Scale: 1:1,000


As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.





© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 17 | Irstead Staithe | Pedestal | 636624 | 320517 | Concrete Plinth Design 1 | Yes | Grass | 150mm | No | |

## Orientation




## Neatishead Staithe



| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 18 | Neatishead Staithe | Pedestal | 634468 | 321042 | Concrete Plinth Design 1 | Yes | Type one | 100mm | No | |
| 18 | Neatishead Staithe | Pedestal | 634456 | 321041 | Concrete Plinth Design 1 | Yes | Type one | 100mm | No | |

## Orientation



## Potter Heigham Repps Bank

Potter Heigham Repps Bank

Scale: 1:1,000


As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.




© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 19 | Potter Heigham Repps Bank | Pedestal | 641893 | 318326 | Concrete Plinth Design 1 | Yes | Grass | 200mm | No | |
| 19 | Potter Heigham Repps Bank | Pedestal | 641917 | 318357 | Concrete Plinth Design 1 | Yes | Grass | 200mm | No | |

## Orientation



## Potter Heigham Marham Bank

Potter Heigham Martham Bank

Scale: 1:1,000


As a contractor working for the Broads Authority you are permitted to use this map solely for the purpose of assisting with the delivery to the Broads Authority of the goods and services you have been engaged to provide. This map must be destroyed or returned once the contracted work is complete.





© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.© Crown copyright [and database rights] 2026 OS AC0000814754. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 20 | Potter Heigham Martham Bank | Pedestal | 642141 | 318566 | Concrete Plinth Design 1 | Yes | Grass | 200mm | No | |
| 20 | Potter Heigham Martham Bank | Pedestal | 642165 | 318584 | Concrete Plinth Design 1 | Yes | Grass | 200mm | No | |

## Orientation



## Hardley Mill Pontoon



| Installation Order | Site Name | Description | Easting | Northing | Installation Type | Mounting bracket required | Type Of Ground Surface | Height Of The Concrete Plinth From The Ground To The Top Of The Plinth | Stainless Steel Cover Required | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 21 | Hardley Mill Pontoon | Pedestal | 638819 | 302398 | Pontoon | No | plastic | 0mm | No | |
| 21 | Hardley Mill Pontoon | Pedestal | 638840 | 302427 | Pontoon | No | plastic | 0mm | No | |

## Orientation

